

Turraun Bog

Cutaway Bog Decommissioning and Rehabilitation Plan 2021

Addendum 1

Document Control Sheet								
Document Name:	Turraun	Turraun Bog Decommissioning and Rehabilitation Plan 2021 – Addendum 1						
Document File Path								
Document Status: Final								
This document	DCS	тос	Text (Body)	References	Maps	No. of Appendices		
comprises:								
Rev. 1.0	Autho	Author(s):		Checked By:		Approved By:		
Name(s):	C	CC		ММС		ММС		
Date:	22/06	22/06/21		22/06/21		22/06/21		

1.	Introduction	4
2.	Appropriate Assessment Reporting findings	4

1. INTRODUCTION

Bord na Móna operates under IPC Licence issued and administered by the EPA to extract peat within the Boora bog group (Ref. P0500-01). As part of Condition 10.2 of this license, a rehabilitation plan must be prepared for permanent rehabilitation of the boglands within the licensed area. This report – *Turraun Bog Decommissioning and Rehabilitation Plan 2021 – Addendum 1 –* should be read in conjunction with – *Turraun Bog Decommissioning and Rehabilitation Plan 2021*. This report – Turraun Bog Decommissioning and Rehabilitation Plan 2021. This report – Turraun Bog Decommissioning and Rehabilitation Plan 2021. This report – Turraun Bog Decommissioning and Rehabilitation Plan 2021. This report – Turraun Bog Decommissioning and Rehabilitation Plan 2021. Content of the Appropriate Assessment reporting carried out in respect of proposed PCAS activities at Turraun Bog.

2. APPROPRIATE ASSESSMENT REPORTING FINDINGS

An Appropriate Assessment Stage 1 Screening Report ¹was commissioned by Bord na Móna to inform whether the proposed PCAS activities at Turraun Bog had the potential to result in Likely Significant Effects on European Sites. The concluding statement of this report reads as follows:

"It is concluded beyond reasonable scientific doubt, in view of best scientific knowledge, on the basis of objective information and in light of the conservation objectives of the relevant European Sites, that the proposed works, individually or in combination with other plans and projects, will not have a significant effect on any European Site."

Therefore following screening, an AA is not required for the Project as it is not directly connected with or necessary to the management of any Site(s) as European Site(s) and as it can be concluded, on the basis of objective information, that the project, individually or in combination with other plans or projects is not likely to have a significant effect on any European Site(s).

¹ MKO Planning and Environmental Consultants (2021). *Article 6(3) Appropriate Assessment Screening Report Turraun Bog, Co Offaly Decommissioning and Rehabilitation 2021*